

Papers in internationally reviewed Journals

- [147] Liebl M., Robl J., Hergarten S., Eghom D.L., Stüwe K., (2023). Modeling large-scale landform evolution with a stream power law for glacial erosion (OpenLEM v37): benchmarking experiments against a more process-based description of ice flow (iSOSIA v3.4.3) *Geosci. Model Dev.*, 16, 1315–1343.
- [146] Turab S.A., Stüwe K., Stuart F., Cogne N., Chew D.M. Robl J., (2023). A two phase escarpment evolution of the Red Sea margin of southwestern Saudi Arabia. Insights from low-temperature apatite thermochronology. *Earth and Planetary Science Letters*, 603, 117990
- [145] Wetzlinger K., Robl J., Liebl M., Dremel F., Stüwe K. ad Hadke C.v., (2023). Old orogen – young topography: Evidence for the relief rejuvenation in the Bohemian Massif- Austrian Journal of Earth Science, 116, 17-38
- [144] Dessouky O.K., Cai M., Ali H.H., Dardier A.M., Fowler A.R., Ali K.A., Santosh M., Stüwe K., Hassan M.M. (2023). A newly recorded Cryogenian- Ediacaran Dokhan Volcanic caldera with resurgent uplift in the Arabian- Nubian Shield, southwest Safaga, Egypt. *Precambrian Research*, 387, 106993.
- [143] Patscheider L., Stüwe K., (2023). Entwässerungssystems der Ostalpen im Miozän: Eine Provinienz-Studie an Höhlensedimenten. *Die Höhle*, 74/1-4, 30-49.
- [141] Gradwohl G., Stüwe K., Robl J., Liebl M., (2023). Topography and landscape evolution of the Alps. In: Rosenberg C. and Bellahsen N., (eds.) *Geodynamics of the Alps 1*, Wiley, ISBN 978-1-78945-116-0, P. 115-147.
- [142] Brandstätter, J., Wagner, T., Stüwe, K., Wilhelmy, M., Winkler, G. (2022): Die Geologie der Steiermark. in Amt der Steiermärkischen Landesregierung (2022): *Dynamische Waldtypisierung - Standörtliche Grundlagen und Anpassungsmaßnahmen an den Klimawandel*, Band 1, Amt der Steiermärkischen Landesregierung, ABT10 Land- und Forstwirtschaft, Landesforstdirektion Graz, S. 31 - 38.
- [141] Schuster R., Stüwe K., 2022 Geological and tectonic setting of Austria in: Embleton- Hamman C. (Ed.). *Landscapes and landforms of Austria*. Springer International Publ., 978-3-030-92813-1 (ISBN) 496 pp.
- [140] Stüwe K., Robl J., Turab S.A., Sternai P., Stuart F.M., (2022). Feedbacks between sea-floor spreading, trade winds and precipitation in the Southern Red Sea. *Nature Communications* 13:5405.
<https://doi.org/10.1038/s41467-022-32293-1>
- [139] Masten M., and Stüwe K. (2021). Die Paläooberflächen in den Nockbergen. *Mitteilungen des Naturwissenschaftlichen Vereines für Steiermark.*, v. 151, 81-99.
- [138] Liebl M., Robl J., Egholm D.L., Prasicek G., Stüwe K., Gradwohl G. and Hergarten S. (2021). Topographic signatures of progressive glacial landscape transformation. *Earth Surface Processes and Landforms*. v. 46:1964–1980 doi: 19.1002/esp.5139
- [137] Stüwe K., and Hohmann K. (2021). The Relic Landscapes of the Grazer Bergland: Revisiting the Piedmonttreppen Debate. *Austrian Journal of Earth Science*, 114, 46-65.
- [136] Blades M.L., Collins A.S., Foden J., Payne J.L., Stüwe K., Abu-Alam T., Makroum F. and Hassan M., (2021). Age and hafnium isotope evolution of Sudanese Butana and Chad illuminates the Stenian to Ediacaran evolution of the south and east Sahara. *Precambrian Research*, v. 362, 106323
-
- [135] Lontschar K., Stüwe K. (2020). Paleolandscapes of the Southern Saualpe. *Mitteilungen des Naturwissenschaftlichen Vereins für Steiermark*, v. 150 129-146

- [134] Stumpf S., Stüwe K., (2019). Aspekte der morphologischen Entwicklung des Murtales zwischen Bruck und Graz. Eine Augenstein Provenienz Studie. Mitteilungen des Naturwissenschaftlichen Vereins für Steiermark, 149, 63-83.
- [133] Bartosch T., Stüwe K. (2019). Evidence for pre-Pleistocene landforms in the Eastern Alps: Geomorphological constraints from the Gurktal Alps. Austrian Journal of Earth Science, 112, 84-102, doi 10.17738/ajes.2019.0006
- [132] Berg C., Magnes M., Schwager P., Stüwe K., Zernig K., Drescher A'. (2018). Einführung in das Exkursionsgebiet Steirische Ostalpen und südöstliches Alpenvorland (Steiermark, Österreich). Tuexenia, v. 11, p. 5-9
- [131] Stüwe K., (2018). Geologie der Steiermark. Relevante Aspekte für die Botanik. Tuexenia, v. 11, p. 11-31
- [130] Herg A., Stüwe K., (2018) Tectonic interpretation of the metamorphic field gradient south of the Koralpe in the Eastern Alps. Austrian Journal of Earth Science, 111/2 p. 1-17. doi: 10.17738/ajes.2018.0010
- [129] Schorn S., Diener J.F.A., Powell R., Stüwe K., (2018) thermal buffering on the orogenic crust. Geology, <https://doi.org/10.1130/G40246.1>
- [128] Sizova E., Gerya T., Brown M., Stüwe K., (2018). What drives Metamorphism in early Archean greenstone belts? Insights from numerical modelling. Tectonophysics. v. 746, p. 587-601. doi.org/10.1016/j.tecto.2017.07.020
- [127] Dertnig F., Stüwe K., Woodhead J., Stuart F.M., Spötl C., (2017). Constraints on the Miocene landscape evolution of the Eastern Alps from the Kalkspitze region, Niedere Tauern (Austria). Geomorphology, 299, p. 24-38.
- [126] Turab S.A., Stüwe K., Stuart F.M., chew D.M., and Cogne N., (2017). Tectonics drives rapid exhumation of the western Himalayan syntaxis: Evidence from low-temperature thermochronometry of the Neelum valley region, Pakistan, Lithosphere 9 (6), p. 874-888. DOI: <https://doi.org/10.1130/L626.1>
- [125] Bartosch T., Stüwe K., and Robl J., (2017) Topographic evolution of the Eastern Alps: The influence of strike-slip faulting activity. Lithosphere, p. L594.591
- [124] Schorn S., Stüwe K., (2016) The Plankogel detachment of the Eastern Alps: petrological evidence for an orogen-scale extraction fault. Journal of Metamorphic geology, 34, 147-166.
- [123] Dixon, J. L., von Blanckenburg, F., Stüwe, K., and Christl, M., (2016) Glaciation's topographic control on Holocene erosion at the eastern edge of the Alps, Earth Surf. Dynam., 4, 895-909, doi:10.5194/esurf-4-895-2016, 2016.
- [122] Hassan M., Abu-alam T., Hauzenberger C., Stüwe K., (2016) Geochemical signature variation of pre-, syn-, and post-shearing intrusives within the Najd Fault System of western Saudi Arabia. Lithos, v.263, p. 274 – 291.
- [121] Hassan, M. Stüwe K., Abu-Alam T.S., Klötzli U., Tiepolo M. (2015). Time constraints on deformation of the Ajaj branch of one of the largest Proterozoic shear zones on Earth: The Najd Fault System. Gondwana Research doi: 10.1016/j.gr.2015.04.005
- [120] Geldner J. & Stüwe K. (2015) (Hrsg.): Alfred Wegener: Die Grazer Vorlesungsskripten Geologische Bundesanstalt Berichte Band 108, 88 p.
- [119] Hergarten, S., Robl, J. and Stüwe, K., (2015). Tectonic geomorphology at small catchment sizes - extensions of the stream-power approach and the χ method. Earth Surf. Dynam. Discuss., 3(3), 689-714
- [118] Sizova E., Gerya T., Stüwe K, Brown M., (2015) Generation of felsic crust in the Archean A geodynamic modelling perspective. Precambrian Research, v. 271, p. 198-224.
- [117] Robl J., Prasicek G., Hergarten S., Stüwe K., (2015) Alpine topography in the light of tectonic uplift an glaciation. Global and Planetary Change, v. 127, p. 34-49.

- [116] Legrain N., Dixon J., Stüwe K., von Blanckenburg F., Kubik P., (2015) Post-Miocene landscape rejuvenation at the eastern end of the Alps. *Lithosphere*. V.7(1), p. 3-13. doi: 10.1130/L391.1
- [115] Abu-Alam T.S., Hassan M., Stüwe K., Meyer S., Passchier C., (2014) Multistage Tectonism during Gondwana Collision: Baladiyah Complex, Saudi Arabia. *Journal of Petrology*, v. 55(10), p. 1941-1964, doi: 10.1093/petrology/egu046
- [114] Meyer S.E., Passchier C., Abu-Alam T.S., Stüwe K., (2014). A strike-slip core complex from the Najd fault system, Arabian shield, Terra Nova, doi: 10.1111/ter.12111
- [113] Bruand E., Gasser D., Stüwe K., (2014): Metamorphic P-T conditions across the Chugach Metamorphic Complex (Alaska)—A record of focussed exhumation during transpression. *Lithos*, v. 190–191, p. 292-312.
- [112] Legrain N., Stüwe K., Wölfler A., (2014). Incised relict landscapes in a never glaciated part of the Eastern Alps. *Geomorphology*. V. 221, p. 124-138, doi:10.1016/j.geomorph.2014.06.010
- [111] Hergarten, S. Robl J. & Stüwe K., (2014) . Extracting topographic swath profiles across curved geomorphic features. *Earth Surface Dynamics*, v. 2 p. 97-104
- [110] Eberli T., White R., Johnson T., Roffeis C., Stüwe K., (2014). Thermobarometric constraints on pressure variations across the Plattengneiss shear zone of the Eastern Alps: implications for exhumation models during Eoalpine subduction. *Journal of Metamorphic Geology*. doi:10.1111/jmg.12069
- [109] Hassan, M., Abu-Alam, T.S., Stüwe, K., Fowler, A. & Hassan, I. (2014): Metamorphic Evolution of the Sa'al-Zaghra Complex in the Northern Arabian-Nubian Shield: Evidence for Tectonism During Mesoproterozoic Rodinia Break-up? *Precambrian Research*., v. 241 p. 104-128.
- [108] Abu-Alam, T.S., Santosh, M., Brown, M. & Stüwe, K., (2013): Gondwana collision. *Mineralogy and Petrology*, 107, 631-634. (introduction to special issue)
- [107] Stüwe K., Drescher A., (2012). Wie verfasse ich einen Beitrag für eine Zeitschrift. *Mitteilungen des Naturwissenschaftlichen Vereins für Steiermark*, v. 142,p. 117 - 144.
- [106] Dertnig F., Stüwe K., (2012). Neukartierung des Großen Beilsteins und des umliegenden Bereichs im Hochschwab Gebiet. *Mitteilungen des Naturwissenschaftlichen Vereins für Steiermark*, v. 142, p. 27-44.
- [105] Gasser D., Bruand, E., Rubatto D., Stüwe, K. (2012). The behaviour of monazite from greenschist facies phyllites to anatectic gneisses: an example from the Chugach Metamorphic Complex, southern Alaska. *Lithos*. ISSN 0024-4937. 134-135, p. 108- 122 . doi: 10.1016/j.lithos.2011.12.003
- [104] Wölfler, A., Stüwe K., Danisik M., Evans N., (2012). Low temperature thermochronology in the Eastern Alps: Implications for structural and topographic evolution. *Tectonophysics*, 541-543, p. 1-18.
- [103] Gasser, D., Rubatto D., Bruand E., Stüwe, (2012). Large-scale, short-lived metamorphism, deformation, and magmatism in the Chugach metamorphic complex, southern Alaska: A SHRIMP U-Pb study of zircons. *GSA Bulletin*, v. 124, p. 886–905; doi: 10.1130/B30507.1
- [102] Wölfler A., Kurz W., Fritz H., and Stüwe K., 2011. Lateral extrusion in the Eastern Alps revisited: refining the model by thermochronological, sedimentary and seismic data. *Tectonic*, Vol. 30, pp. 15. DOI: 10.1029/2010TC002782.
- [101] Bruand E., Gasser D., Bonnand P., and Stüwe K., 2011. The petrology and geochemistry of a metabasite belt along the southern margin of Alaska. *Lithos*, vol. 127, p. 282-297. DOI: 10.1016/j.lithos.2011.07.026.
- [100] Wagner T., Fritz H., Stüwe K., Nestroy O., Rodnight H., Hellstrom J., and Benischke R., 2011. Correlations of cave levels, stream terraces and palnivation surfaces along the river Mur – Timing of landscape evolution along the eastern margin of the Alps. *Geomorphology*, vol. 134, p. 62–78. DOI: 10.1016/j.geomorph.2011.04.024.

- [99] Gasser D., Bruand E., Stuewe K., Foster D., Schuster R., Fügenschuh B., and Pavlis T., 2011. Formation of a metamorphic core complex along an obliquely convergent continental margin: structural and thermochronological evolution of the Chugach Metamorphic Complex, southern Alaska. *Tectonics*, vol. 30, pp. 1-25. DOI: 10.1029/2010TC002776.
- [98] Abu-Alam T.S., Stüwe K., 2011. Polyphase strain caps. *Mineralogy and Petrology*. vol. 101, pp. 1-19. DOI: 10.1007/s00710-010-0141-7.
- [97] Schuster R., Stüwe K., 2010. Die Geologie der Alpen im Zeitraffer. *Mitteilungen des Naturwissenschaftlichen Vereines für Steiermark*, v. 140, p. 5-21.
- [96] Hergarten S., Wagner T., Stüwe K., 2010. Age and Prematurity of the Alps derived from topography. *Earth and Planetary Science Letters*, v. 297, p. 453–460.
- [95] Wagner T., Fabel D., Fiebig M., Häuselmann P., Sahy D., Sheng X., Stüwe K., 2010. Young uplift in the non-glaciated parts of the Eastern Alps. *Earth and Planetary Science Letters*, v. 295, p. 159-169.
- [94] Herman F., Copeland P., Avouac J-P., Bollinger L., Maheo G., LeFort P., Rai S., Foster D., Pecher A., Stüwe K., Henry P., 2010. Exhumation, crustal deformation and thermal structure of the Nepal Himalaya derived from the inversion of thermochronological and thermobarometric data and modelling of the topography. *Journal of Geophysical Research*, v. 115, B06407, doi:10.1029/2008JB006126.
- [93] Abu-Alam T.S., Stüwe K., Hauzenberger C., 2010 Calc-Silicates from Wad Solaf region, Sinai, Egypt. *Journal of African Earth Science*, v. 58, p. 475-488.
- [92] Stüwe K., Schuster R., 2010. Initiation of subduction in the Alps: Continent or ocean ? *Geology*, v. 38, p.175-178; doi: 10.1130/G30528.1
- [91] Bruand E., Stüwe K., Proyer A., 2010. Pseudosection modelling for a selected eclogite body from the Koralpe (Hohl), Eastern Alps. *Mineralogy and Petrology* v. 99, p. 75-87, doi: 10.1007/s00710-009-0097-7
- [90] Gasser D., Stüwe K., Fritz H., 2010. Internal structural geometry of the Paleozoic of Graz. *International Journal of Earth Science* doi: 10.1007/s00531-009-0446-0
- [89] Gasser D., Gusterhuber J., Krische O., Puhr B., Scheucher L., Wagner T., Stüwe K., 2009. Geology of Styria: An overview. *Mitteilungen des Naturwissenschaftlichen Vereines für Steiermark*, v. 139, p. 5-36.
- [88] Abu-Alam T.S., Stüwe K., 2009. Exhumation during oblique transpression: The Feiran- Solaf region, Egypt. *Journal of Metamorphic Geology*, 27, 439-459.
- [87] Stüwe K., Robl J., Matthai S., 2009. Erosional decay of the Yucca mountain Crest, Nevada. *Geomorphology*, 108, 200-208, doi: 10.1016/j.geomorph.200901.008
- [86] Stüwe K., Robl, J., Hergarten S., Evans L., 2008. Modelling the influence of horizontal advection, deformation, 3 and late uplift on the drainage development in the India-Asia 4 collision zone. *Tectonics* doi:10.1029/2007TC002186.
- [85] Robl, J., Stüwe K., Hergarten S., Evans L., 2008. Extension during continental convergence in the Eastern Alps: The influence of orogen-scale strike-slip faults. *Geology*, v. 36, p. 603-606.
- [84] Robl, J., Hergarten S., Stüwe K., 2008. Morphological analysis of the drainage systems in the Eastern Alps. *Tectonophysics*, v. 460, p. 263-277.
- [83] Schuster R., Stüwe K., 2008. Permian metamorphic event in the Alps. *Geology*, v. 36, p. 963-966.
- [82] Robl, J., Stüwe K., Hergarten S., 2008. Channel profiles around Himalayan river anticlines: Constraints on their formation from digital elevation model analysis. *Tectonics* v. 27, TC3010, doi:10.1029/2007TC002215,

- [81] Roffeis C., Stüwe K., Hergarten S., 2007. Morphologische Analyse der Täler zwischen Raab und Mur. Mitteilungen des Naturwissenschaftlichen Vereins für Steiermark. 136, 239-248
- [80] Robl, J., Hergarten S., Stüwe K., Hauzenberger C., 2007. THERMAL HISTORY: A new software to interpret diffusive zoning profiles in garnet. Computers and Geosciences, v. 33, p. 760-772.
- [79] Tenczer V., Stüwe K., Powell R. & Dale J., 2006: Evolution of H₂O Content in a polymetamorphic terrain: The Plattengneiss Shear Zone (Koralpe, Austria). Journal of Metamorphic Geology, 24, 281-295
- [78] Shalabi A., Stüwe K., Fritz H. and Makroum F., 2006. Pan-African molasse basins in the Eastern Desert of Egypt: A Case Study in the El Mayah Basin and its Orogen-wide Correlation. Journal of African Earth Science, 45, 1-15
- [77] Putz M., Stüwe K., Jessell M. & Calcagno P., 2006. Three-dimensional model and late stage warping of the Plattengneis Shear Zone in the Eastern Alps Tectonophysics, 412, p. 87-103. doi: 10.1016/j.tecto.2005.10.003.
- [76] Robl J. & Stüwe K., 2005b. Continental collision with finite indenter strength: 2. European Eastern Alps. Tectonics, 24, doi: 10.1029/2004TC001741.
- [75] Robl J. & Stüwe K., 2005a. Continental collision with finite indenter strength: 1. Concept and Model formulation. Tectonics, 24, doi: 10.1029/2004TC001727.
- [74] Hauzenberger C., Robl J. and Stüwe K., 2005. Garnet zoning in high pressure granulite facies metapelites Mozambique Belt, SE Kenya: Constraints on the cooling history. European Journal of Mineralogy, 17, 43-55.
- [73] Sölvä H., Stüwe K. & Strauss P., 2005. The Drava river and the Pohorje mountain range (Slovenia): Geomorphological interactions. Mitteilungen des Naturwissenschaftlichen Vereins für Steiermark. 134, 45-55
- [72] Stüwe K., Gibson H. & Fabel D., 2005. Fission track record of the Wiesbachhorn profile: The highest relief in the Eastern Alps. Mitteilungen des Naturwissenschaftlichen Vereins für Steiermark. 134, 35-43
- [71] Stüwe K. and Tenczer V., 2005. Interpreting the metamorphic field gradient of the Koralpe. Mitteilungen des Naturwissenschaftlichen Vereins für Steiermark. 134, 23-33
- [70] Riesco M., Stüwe K. and Reche J., 2005. Formation of Corundum in Metapelites around Ultramafic Bodies. An example from the Saualpe Region, Eastern Alps. Mineralogy and Petrology, 83, 1-25
- [69] Shalabi A., Stüwe K., Makroum F., Fritz H., Tesfaye A., & Klötzli U., 2005. The Wadi Mubarak Belt, eastern desert of Egypt: A Neoproterozoic conjugate shear system in the Arabian Nubian Shield. Precambrian Research, 136, 27-50
- [68] Kühn A., Stüwe K. and Trouw R., 2004. Metamorphic evolution of the Ribeira Belt: Evidence from Outcrops in the Rio de Janeiro Municipal area, Brazil. Journal of Petrology, 45, 2303-2323
- [67] Robl J., Fritz H., Stüwe K. and Bernhard F., 2004. Cyclic fluid infiltration in structurally controlled Ag-Pb-Cu occurrences (Schladming, Eastern Alps). Chemical Geology, 205, 17-36
- [66] Riesco M., Stüwe K., Reche J. and Martinez P., 2004. Silica depleted melting in pelites. A petrogenetic grid with Application to the Susqueda aureole, Spain. Journal of Metamorphic Geology, 22, 475 - 494.
- [65] Biermeier C., Wiesinger M., Stüwe K., Foster D., Gibson H. and Raza A., 2003 Aspects of the structural and late thermal evolution of the Redbank Thrust system, central Australia: constraints from the Speares metamorphics. Australian Journal of Earth Science, 50, 983-999
- [64] Stüwe K., 2003. Geologischer Überblick vom Dach der Welt. p. 12 - 24. In: Müller W., Pieringer K. and Stüwe K., 2003. Tibet Terra Magica Spektrum, Reich Verlag 206p.

- [63] Grasemann B. and Stüwe K., 2003. Tectonics and Geodynamics.- in: Knowledge for Sustainable Development - An Insight into the Encyclopedia of Life Support Systems, UNESCO Publishing / Eolss Publishers, Paris, France, Oxford, UK. <http://www.eolss.net>.
- [62] Biermeier C. and Stüwe K. 2003. Thermal evolution of the Redbank Thrust system, central Australia: Geochronological and phase equilibrium constraints. *Tectonics*, vol 22, 1, 1002 doi: 10.1029/2001TC901033
- [61] Biermeier C. and Stüwe K., 2003 Strain Rates from Snowball garnets ? *Journal of Metamorphic Geology*, 21, 253-268.
- [60] Tenczer V. and Stüwe K., 2003 The metamorphic field gradient in the eclogite type locality. *Journal of Metamorphic Geology*, 21, 377-393
- [59] Grasemann B., Stüwe K. and Vannay J.C., 2003 Sense and non sense of shear band and flanking fold structures. *Journal of Structural Geology*, 25, 19-34.
- [58] Stüwe K. and Grasemann B., 2002. Conference Report: 16th Himalaya-Karakorum-Tibet workshop Schloss Seggau, Austria 4-6 April 2001. *Journal of Asian Earth Science* 21, 217-219
- [57] Stüwe K., Sengor C., Grasemann B. and deVivo B., 2002. 1.5 - Geology.- in: Knowledge for Sustainable Development - An Insight into the Encyclopedia of Life Support Systems, UNESCO Publishing / Eolss Publishers, Paris, France, Oxford, UK. 119-144
- [56] Coblenz, D. and Stüwe, K., 2002. A Review of Using the fc-fl Diagram to Evaluate Continental Deformation in Stein, S. and J. T. Freymueller, eds., "Plate Boundary Processes" AGU Geodynamics Series Volume 30, 283-294.
- [55] Bons P.D., Jessell M.W., Evans L., Barr T. and Stüwe K., 2001 Modeling of anisotropic grain growth in minerals. In: Koyi H.A., Mancktelow N.S., Tectonic modeling; a volume in honor of Hans Ramberg. Memoir - Geological Society of America, 193, pp.39-49.
- [54] Handy M.R., Braun J., Brown, M., Kukowski N., Paterson M.S., Schmidt S.M., Stockert B., Stüwe K., Thompson AB., Wosnitza E., 2001. Rheology and Geodynamics modelling: the next step forward. *International Journal of Earth Sciences*, 90, 149-156.
- [53] Biermeier C., Stüwe K. and Barr T. 2001. Rotation rates of cylindrical objects in simple shear. *Journal of Structural Geology*, 23, 765-776.
- [52] Tenczer V., Stüwe K. and Barr T., 2001. Pressure anomalies around cylindrical objects in simple shear. *Journal of Structural Geology*, 23, 777-788.
- [51] Grasemann B. and Stüwe K., 2001. The development of flanking folds during simple shear deformation and their use as kinematic indicators. *Journal of Structural Geology*, 23, 715-724
- [50] Stüwe K. and Foster D., 2001. Ar/Ar and fission track data from the Bhutan section of the Main Central Thrust, Himalaya. *Journal of Asian Earth Science*, 19, 85-95
- [49] Jessell M., Bons P.D., Evans L., Barr T. and Stüwe K., 2001. ELLE: the numerical simulation of metamorphic and deformation microstructures. *Computers and Geoscience*, 27, 17-30
- [48] Stüwe K. and Hintermüller M., 2000. Topography and isotherms revisited: The influence of laterally migrating drainage divides. *Earth and Planetary Science Letters*, vol 184, p. 287-303.
- [47] Stüwe, K. and Barr, T. 2000. On the relationship between surface uplift and gravitational extension. *Tectonics* Vol. 19 , No. 6 , p. 1056

- [46] Stüwe K., 2000. Einführung in die Geodynamik der Lithosphäre. Quantitative Behandlung Erdwissenschaftlicher Probleme. (Lehrbuch); Springer Verlag, Heidelberg, 405 p.
- [45] Gibson H.J. and Stüwe K., 2000. Multiphase Cooling and Exhumation of the southern Adelaide Fold Belt: Constraints from Apatite Fission Track Data and Thermal History Modelling. *Basin Research*, 12/1, 31-47.
- [44] Mikhalsky E.V., Laiba A.A., Beliatsky B.V. and Stüwe K., 1999. Geology, age and origin of the Mount Willing area (Prince Charles Mountains, East Antarctica). *Antarctic Science*, 11(3), 338-352.
- [43] Tenczer V. and Stüwe K., 1999. Some constraints on strength and rheology of the Plattengneiss shear zone (Koralpe - Austroalpine). *Mitteilungen des Naturwissenschaftlichen Vereins für Steiermark*, 129, 43-53
- [42] Stüwe K. and Ehlers K., 1998. Distinguishing Cooling Histories using Thermometry. Interpretations of Cooling Curves with some Examples from the Glein-Koralpe Region and the Central Swiss Alps. *Mitteilungen der österreichischen Geologischen Gesellschaft*, 89, 201-212.
- [41] Bierlein F.P., Fuller T., Stüwe K., Arne D.C., and Keays R.R., 1997. Wallrock Alteration Associated with Turbidite-hosted Gold Deposits - Examples from Central Victoria, Australia. *Ore Geology Reviews*, 13, 345-380.
- [40] Stüwe K., 1998. Tectonic Constraints on the Timing Relationships of Metamorphism, Fluid Production and Gold-bearing Quartz Vein Emplacement. *Ore Geology Reviews*, 13, 219-228.
- [39] Stüwe K. and Barr T.D. 1998. On Uplift and Exhumation during convergence. *Tectonics*, 17, 80-88.
- [38] Stüwe K., 1998. Heat Sources of Cretaceous Metamorphism in the Eastern Alps - a discussion. *Tectonophysics*, 287, 251-269.
- [37] Stüwe K. and Ehlers K., 1997. Multiple Metamorphic Events at Broken Hill, Australia. Evidence from Chloritoid-bearing Parageneses in the Nine-Mile Region. *Journal of Petrology*, 38, 1167-1186
- [36] Stüwe K., 1997. Effective bulk composition changes due to cooling. Influence on retrograde assemblage development and an example from the Koralpe Complex, Eastern Alps. *Contributions to Mineralogy and Petrology*, 129, 43-52.
- [35] Stüwe K., and Powell R., 1997. Reaction Enthalpies of Subsolidus Equilibria in Pelitic Rocks. Magnitude and Influence on Cretaceous Metamorphism of the Koralpe Complex, Eastern Alps. *Mitteilungen des Naturwissenschaftlichen Verein für Steiermark*, 127, 45-60.
- [34] Stüwe K., and Ehlers K., 1996. The qualitative zoning record of minerals. A method for determining the duration of metamorphic events ? *Mineralogy and Petrology*, 56, 171-184.
- [33] Wilson C.J.L., Zhang, Y. and Stüwe K., 1996: Deformation enhanced Melting in Ice. *Cold Regions Science and Technology*, 24, 177-189.
- [32] Paul E., Stüwe K., Teasdale J., and Worley B., 1995. Structural and metamorphic geology of the Windmill Islands, east Antarctica: field evidence for repeated tectonothermal activity. *Australian Journal of Earth Science*, 42, 453-469.
- [31] Stüwe K., 1995. The buffering effects of latent heat of fusion on the equilibration of partially melted metamorphic rocks. *Tectonophysics*, 248, 39-51.
- [30] Stüwe K., and Sandiford M., 1995: Analytical description of metamorphic pressure temperature time paths in the Low-P High-T Environment. *Physics of the Earth and Planetary Interiors*, 88, 211-221.
- [29] Stüwe K., and Powell R., 1995: Geothermobarometry from modal proportions. Application to a PT path of the Koralpe complex, Eastern Alps. *Contributions to Mineralogy and Petrology*, 119, 83-93.

- [28] Stüwe K., and Sandiford M., 1995: Mantle-lithospheric deformation and crustal metamorphism with some speculations on the thermal and mechanical significance of the Tauern event, Eastern Alps. *Tectonophysics*, 242, 115-132.
- [27] Stüwe K., 1994. Process and age constraints for the formation of Ayers Rock / Australia. An example for two-dimensional mass diffusion with pinned boundaries. *Zeitschrift für Geomorphologie*, 38, 435-455.
- [26] Stüwe K. 1994. Some calculated thermodynamic pseudosections from the Plattengneiss and other rocks of the Koralm Complex, Eastern Alps. *Mitteilungen des Naturwissenschaftlichen Verein für Steiermark*, 124, 29-39.
- [25] Stüwe K., and Sandiford M., 1994. Some remarks on the geomorphological evolution of the Eastern Alps. Constraints on the above-surface geometry of tectonic boundaries? *Mitteilungen der österreichischen geologischen Gesellschaft*, 86, 165-176.
- [24] Ehlers K., Stüwe K., Powell R., Sandiford M., and Frank W., 1994: Thermometrically inferred cooling rates from an intra-crustal shear zone, the Plattengneis, Koralm Region - Eastern Alps. *Earth and Planetary Science Letters*, 125, 307 - 321.
- [23] Hand M., Scrimgeour I., Stüwe K., Powell R., and Wilson C.J.L., 1994: Metapelitic granulites from Jetty Peninsula, east Antarctica: formation during a single event or by polymetamorphism ?. *Journal of Metamorphic Geology*, 12, 557 - 573.
- [22] Stüwe K., and Sandiford M., 1994: On the Contribution of Deviatoric Stresses to Metamorphic PT Paths: an example appropriate to Low-P, High-T Metamorphism. *Journal of Metamorphic Geology*, 12, 445-454
- [21] Ehlers K., Powell, R., and Stüwe K., 1994: Cooling histories from garnet + biotite equilibrium. *American Mineralogist*, 79, 737-744.
- [20] Zhou S. and Stüwe K., 1994. Modelling of dynamic uplift, denudation rates and thermomechanical consequences of erosion in isostatically compensated mountain belts. *Journal of Geophysical Research*, 99, B7, 13923 - 13939.
- [19] Hand M., Scrimgeour I., Stüwe K., Arne D., and Wilson C.J.L., 1994: Geological Relationships in high-grade mid-Proterozoic rocks from Else Platform, northern Prince Charles Mountains region, east Antarctica. *Australian Journal of Earth Science*, 41, 311-329.
- [18] Stüwe K., White L., and Brown R., 1994: The influence of eroding topography on steady state isotherms. Application to Fission Track Analysis. *Earth and Planetary Science Letters*, 124, 63-74.
- [17] Kamenev E., Andronikov A.V., Mikhalsky E.V., and Stüwe K., 1993. Soviet Geological Maps of the Prince Charles Mountains, East Antarctic Shield. *Australian Journal of Earth Science*, 40, 501-517.
- [16] Stüwe K., Sandiford M., and Powell R., 1993. On the origin of repeated Metamorphic-deformation events in Low-P high-T terranes. *Geology* , 21, 829-832.
- [15] Stüwe K., Will T.M., and Zhou S., 1993. On the timing relationships between fluid production and metamorphism in metamorphic piles. Some implications for the origin of post-metamorphic gold mineralisation. *Earth and Planetary Science Letters*, 114, 417-230.
- [14] Stüwe K., and Sandiford M., 1993. A Preliminary Model for the 500 Ma Event in the East Antarctic Shield. In. Findlay R.H., Banks H.R., Veerers J.J. and Unrug R. (eds.) *Gondwana 8 Assembly, evolution and dispersal*, p.125-130 *Gondwana 8: assembly, evolution and dispersal*. A.A. Balkema, Rotterdam.
- [13] Stüwe K., 1992. Vorläufige Bemerkungen zum möglichen Einfluß der Deformationsgeometrie der Mantellithosphäre auf die Entwicklung der Ostalpen seit der Kreide. *Mitteilungen der österreichischen geologischen Gesellschaft*, 84, 65-75.

- [12] Turner S.P., and Stüwe K., 1992. Low Pressure Corona Textures between Olivine and Plagioclase in gabbros from Black Hill, South Australia. *Mineralogical Magazine*, 56, 503-509.
- [11] Stüwe K., and Hand M., 1992. Geology and structure of Depot Peak, MacRobertson Land. More evidence for the continuous extent of the 1000Ma Event of East Antarctica. *Australian Journal of Earth Science*, 39, 211-222.
- [10] Stüwe K., 1991. Flexural constraints on the denudation of asymmetric mountain belts. *Journal of Geophysical Research*, 96, 10401-10408.
- [9] Stüwe K. and Wilson C.J.L., 1991. Interaction between deformation and charnockite emplacement in the Bunger Hills, East Antarctica. *Journal of Structural Geology*, 12, 767-783.
- [8] Stüwe K., Braun H.M., and Peer H., 1989. Geology and structure of the Larsemann Hills area, Prydz Bay, Antarctica. *Australian Journal of Earth Sciences*, 36, 219-241.
- [7] Sheraton J.W., Oliver R.L., and Stüwe K., 1988. Comparison of basic dykes from Cape Denison, Antarctica and Port Lincoln (South Australia). *Precambrian Research*, 44, 353-361.
- [6] Stüwe K., and Oliver R.L., 1989. Geological evolution of Adelie and King George V Land, Antarctica: Evidence for a polycyclic metamorphic evolution. *Precambrian Research*, 43, 317-334.
- [5] Stüwe K., and Powell R., 1989. Metamorphic segregations associated with garnet and orthopyroxene porphyroblast growth: two examples from the Larsemann Hills, East Antarctica. *Contributions to Mineralogy and Petrology*, 103, 523-530.
- [4] Stüwe K., and Powell R., 1989. Low pressure granulite facies metamorphism in the Larsemann Hills area, East Antarctica; petrology and tectonic implications for the evolution of the Prydz Bay area. *Journal of Metamorphic Geology*, 7, 465-483.
- [3] Stüwe K., and Powell R., 1989. Metamorphic evolution of the Bunger Hills, eastern Antarctica: Evidence for substantial post peak compression during minimal cooling. *Journal of Metamorphic Geology*, 7, 449-464.
- [2] Stüwe K., 1988. Reply to the comment by Goldfarb et al. on the paper: Structural evolution of the Port Wells gold mining district, Prince William Sound, south central Alaska: Implications for the origin of the gold lodes. *Mineralium Deposita*, 23, 228-229.
- [1] Stüwe K., 1986. Structural evolution of the Port Wells gold mining district, Prince William Sound, south central Alaska: Implications for the origin of the gold lodes. *Mineralium Deposita*, 21, 288-295.